

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 18/05/2021 Version: 10.6

Generated : 14/06/2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

Product form	:	Mixture
Trade name	:	EASY DOSE GLEM PLUS
Product code	:	07/ED70
Type of product	:	Detergent

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category
Industrial/Professional use spec
Use of the substance/mixture

- : Professional use: For professional use only
- : Glass cleaner

#### 1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

AUK SUPPLIES LTD MARSH HOUSE BRUNEL ROAD NEWTON ABBOT DEVON TQ12 4PB UNITED KINGDOM Tel: 01626 355177 E

Email: sales@auk-group.com

#### **1.4. Emergency telephone number**

Mon to Fri 8.30am to 5.00pm - 01626 355177

# **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 1, Sub-Category 1B	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

Labelling	according to	Regulation	(EC) No	. 1272/2008	<b>[CLP]</b>
			(		Feet 1

Hazard pictograms (CLP)



Signal word (CLP) Contains Hazard statements (CLP) : Danger

: 2-aminoethanol; ethanolamine; Alcohol Alkoxylate

: H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H336 - May cause drowsiness or dizziness.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	<ul> <li>P260 - Do not breathe spray.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear eye protection, protective gloves.</li> <li>P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water or shower.</li> <li>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P315 - Get immediate medical advice/attention.</li> <li>P403+P235 - Store in a well-ventilated place. Keep cool</li> </ul>
	P315 - Get immediate medical advice/attention. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.

### 2.3. Other hazards

No additional information available

# SECTION 3: Composition/information on ingredients

# 3.1. Substances

### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-aminoethanol; ethanolamine substance with a Community workplace exposure limit	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	15 – 30	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1B, H314
METHOXYMETHYLBUTANOL	(CAS-No.) 56539-66-3 (EC-No.) 260-252-4 (REACH-no) 01-2119976333-33	15 – 30	Eye Irrit. 2, H319
Hexyl glucoside	(CAS-No.) 54549-24-5 (EC-No.) 259-217-6 (REACH-no) 01-2119492545-29	5 – 10	Eye Dam. 1, H318
Alcohol Alkoxylate	(CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer	5 – 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
N,N-dimethyldecylamine N-oxide	(CAS-No.) 2605-79-0 (EC-No.) 220-020-5 (REACH-no) 01-2119959297-22	1 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
2-aminoethanol; ethanolamine	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	( 5 ≤C ≤ 100) STOT SE 3, H335
Alcohol Alkoxylate	(CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer	( 1 <c 10)="" 2,="" eye="" h319<br="" irrit.="" ≤="">( 10 <c 1,="" 100)="" <="" dam.="" eye="" h318<="" td=""></c></c>

Full text of H- and EUH-statements: see section 16

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the subs	stance or mixture
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	

No additional information available

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective eq	uipment and emergency procedures	
<ul> <li>6.1.1. For non-emergency personnel</li> <li>Emergency procedures</li> <li>6.1.2. For emergency responders</li> <li>Protective equipment</li> </ul>	<ul><li>Evacuate unnecessary personnel.</li><li>Use personal protective equipment as required.</li></ul>	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containme	ent and cleaning up	
For containment Methods for cleaning up	<ul> <li>Collect spillage.</li> <li>Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.</li> </ul>	
6.4. Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and stora	age	
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	<ul><li>Avoid contact with skin and eyes.</li><li>Do not eat, drink or smoke when using this product.</li></ul>	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures: Does not require any specific or particular technical measures.Storage conditions: Keep container closed when not in use.Incompatible products: Oxidizing agent. Strong acids.Incompatible materials: Metals.Special rules on packaging: Keep only in original container.		
7.3. Specific end use(s)		

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

2-aminoethanol; ethanolamine (141-43-5)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-Aminoethanol
IOEL TWA	2.5 mg/m³
IOEL TWA [ppm]	1 ppm
IOEL STEL	7.6 mg/m <sup>3</sup>
IOEL STEL [ppm]	3 ppm
Notes	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Document generated @ 14/06/2021 11:59:49

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:	
Safety glasses. EN 166	
8.2.2.2. Skin protection	

#### Skin and body protection:

Not required for normal conditions of use

#### Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

Other skin protection Materials for protective clothing:	]
Not required for normal conditions of use	
8.2.2.3. Respiratory protection	

#### Respiratory protection:

Not required for normal conditions of use

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue.
Appearance	: Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: ≥ 100 °C
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: >70 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: 12
Viscosity, kinematic	: Not available
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 1.008
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

The product is non-reactive under normal conditions of use, storage and transport.

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

10.1. Reactivity

**10.2. Chemical stability** Stable under normal conditions.

SECTION 10: Stability and reactivity

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid	
None under recommended storage and ha	ndling conditions (see section 7).
10.5. Incompatible materials	
Strong acids.	
10.6. Hazardous decomposition pro	ducts
	e, hazardous decomposition products should not be produced.
SECTION 11: Toxicological info	rmation
11.1. Information on hazard classes	as defined in Regulation (EC) No 1272/2008
Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
GLASS CLEANER	
ATE CLP (oral)	1603.629 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns.
Skir conosion/imation	pH: 12
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 12
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.

Page 6 of 11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

# SECTION 12: Ecological information

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term	: Not classified
(acute)	
Hazardous to the aquatic environment, long-term	: Not classified
(chronic)	

Hexyl glucoside (54549-24-5)	
LC50 - Fish [1]	420 mg/l
EC50 - Other aquatic organisms [1]	490 mg/l waterflea
EC50 - Other aquatic organisms [2]	180 mg/l

Alcohol Alkoxylate (166736-08-9)	
LC50 - Fish [1]	10 – 100 mg/l
EC50 - Crustacea [1]	10 – 100 mg/l
ErC50 other aquatic plants	10 – 100 mg/l

### 12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential		
Hexyl glucoside (54549-24-5)		
Partition coefficient n-octanol/water (Log Pow)	1.7	
N,N-dimethyldecylamine N-oxide (2605-79-0)		
Partition coefficient n-octanol/water (Log Pow)	3.69	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		

No additional information available

**12.7. Other adverse effects** 

No additional information available

07/ED70

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

No additional information available

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

14.1. UN number or ID number UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA)	: UN 1760 : UN 1760 : UN 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA)	<ul> <li>CORROSIVE LIQUID, N.O.S.</li> <li>CORROSIVE LIQUID, N.O.S.</li> <li>Corrosive liquid, n.o.s.</li> <li>UN 1760 CORROSIVE LIQUID, N.O.S. (2-AMINOETHANOL), 8, III, (E)</li> <li>UN 1760 CORROSIVE LIQUID, N.O.S. (2-AMINOETHANOL), 8, III</li> <li>UN 1760 Corrosive liquid, n.o.s., 8, III</li> </ul>
14.3. Transport hazard class(es)	
<b>ADR</b> Transport hazard class(es) (ADR) Danger labels (ADR)	: 8 : 8 :
<b>IMDG</b> Transport hazard class(es) (IMDG) Danger labels (IMDG)	
IATA Transport hazard class(es) (IATA) Danger labels (IATA)	: 8 : 8
14.4. Packing group	8
Packing group (ADR) Packing group (IMDG) Packing group (IATA)	: III : III : III

Marine pollutant

Other information

14.5. Environmental hazards Dangerous for the environment

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment R

ts amendment Regulation (EU) 2015/830		
:	No	
:	No	
:	No supplementary information available	

07/ED70

### 14.6. Special precautions for user

Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR)	<ul> <li>C9</li> <li>144</li> <li>5I</li> <li>E1</li> <li>P001, IBC03, LP01, R001</li> <li>MP19</li> <li>T7</li> <li>TP1, TP28</li> </ul>
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Orange plates	80 1760
Tunnel restriction code (ADR)	: E
Transport by sea	
Special provisions (IMDG)	: 144
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L

## 14.7. Maritime transport in bulk according to IMO instruments

IBC code

: Not applicable.

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:		
Component	%	
non-ionic surfactants	5-15%	

# 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

Full text of H- and EUH-statements:				
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4			
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4			
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation			
H302	Harmful if swallowed.			
H312	Harmful in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H335	May cause respiratory irritation.			
H336	May cause drowsiness or dizziness.			
H400	Very toxic to aquatic life.			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Oral)	H302	Calculation method
Skin Corr. 1B	H314	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H336	Expert judgment

### according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.